


(વેબ પબ્લીકેશન)

:: સુધારો ::

અત્રેની કચેરી દ્વારા તા.૦૧/૦૪/૨૦૨૬ના રોજ Inviting quotations for Providing Soil Investigation report For Navsari Main Campus & All Sub Centers (Surat, Bharuch, Narmada, Tapi, Valsad, Dang) of NAU ની કામગીરી અર્થે યુનિવર્સિટીની વેબસાઇટ www.nau.in ઉપર વેબ પબ્લીકેશન કરી તથા કચેરીના નોટીશબોર્ડ ઉપર ટેન્ડર ફોર્મ પ્રકાશિત કરી ઉપરોક્ત કામના તા.૧૦/૦૪/૨૦૨૬ સુધીમાં હરીફાઇ યુક્ત ભાવો મંગાવવામાં આવેલ છે., વેબસાઇટ ઉપર પ્રકાશિત કરેલ ઉપરોક્ત કામના ટેન્ડરમાં ફોર્મમાં શરતચુકથી જુનુ ટેન્ડર ફોર્મ અપલોડ થયાનું ધ્યાને આવતા નવેસરથી આજરોજ ટેન્ડર ફોર્મ પ્રકાશિત કરી તા.૧૮/૦૪/૨૦૨૬ સુધીમાં હરીફાઇ યુક્ત ભાવો મંગાવવા માટેની સમય મર્યાદા લંબાવવામાં આવે છે. (ટેન્ડર ફોર્મ ભરવા માટે નવા ટેન્ડર ફોર્મને ધ્યાને લેવા વિનંતી છે.)

નવસારી

તા.૧૦/૦૪/૨૦૨૬



કાર્યપાલક ઇન્ચાર્જ

નવસારી કૃષિ યુનિવર્સિટી,

નવસારી



NAVARI AGRICULTURAL UNIVERSITY

Office of the Executive Engineer
Navsari Agricultural University
Navsari, Gujarat - 396450

Dr. Vipul Shinde
Executive Engineer

Email : ee@nau.in
Phone No. 02637-299078

No.NAU/EE/B-2/1906/2026

Navsari Dt.10/04/2026

To,
Web Publication on www.nau.in
At the Notice board of this office

Subject : Inviting quotations for Providing Soil Investigation report For Navsari Main Campus & All Sub Centers (Surat, Bharuch, Narmada, Tapi, Valsad, Dang) of NAU

Sealed and super scribed quotation for the above said work are invited by post/courier/ RPAD/Speed post so as to reach this office on or before date:-**18/04/2026**. The rates must be quoted with inclusive of all labour cost, material cost all Government taxes.

Description of Works					
Drilling: 100mm Dia Borehole using calax rotary drilling in all Strata of Soil (Except very soft Soil Up to the Up to The Depth of Refusal* collection of undisturbed soil samples using 70mm Dia. Shelby tubes as per IS 2132:1986, IS 1892:1979 from borehole at every 1.5 mtr depth interval or change of strata whichever is earlier including cleaning, sealing storing and transporting to laboratory. (the sampling shall be done from rich borehole up to the maximum depth specified or the refusal* whichever is earlier). Conducting SPT-N value test (IS 2131:1986) in all boreholes at every 1.5 mtr depth or change of strata whichever is earlier and up to the depth specified or refusal* whichever is earlier. Conducting suitable laboratory test on the disturbed/undisturbed soil samples/rock samples collected during exploration work All test shall be carried out as per latest Indian standard, as specified in the scope of work Design of SBC, reporting ETC complete. (15 meter Borehole)					
Sr. No.	Center Name	Qty.	Rate (Incl. Tax)	Per	Amount
1	Navsari	15.00		Rmt	
2	Waghai (Dang)	15.00		Rmt	
3	Surat	15.00		Rmt	
4	Bharuch	15.00		Rmt	
5	Narmada	15.00		Rmt	
6	Tapi	15.00		Rmt	
7	Valsad	15.00		Rmt	

Seal and Signature of Contractor

Executive Engineer

Terms and Conditions

1. The work shall be carried out as per instructions of the Engineer-in-Charge and latest IS specifications.
2. The quoted rates shall include all costs such as labour, materials, tools & plants, transportation, etc.

3. No damage shall be caused to existing structures during execution of work.
4. Rate validity shall be **one year**, extendable on mutual agreement.
5. Quantities are approximate and may vary; no claim shall be entertained.
6. Jurisdiction shall be **Navsari District**.
7. Contractor shall be responsible for safety during execution.
8. The lowest bidder shall execute work at all centers; otherwise, **EMD will be forfeited**.
9. GST certificate and office address proof must be submitted.
10. **EMD of Rs. 3,000/-** in the form of Demand Draft in favour of “**D.D.O., Office of Executive Engineer, NAU, Navsari**” must be enclosed.

Seal and Signature of Contractor

**Executive Engineer
Navsari Agricultural University,
Navsari**